	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	472	(340/993,995.19).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:04			
2	IS&R	L2	3400	(455/414.2,440,456.1-456.6,457,521).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:05			
3	IS&R	L4	509	(701/214).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:06			
4	IS&R	L3	2630	(342/357.01,357.02,450-452,457,458).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:05			
5	BRS	L5	6473	1 or 2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:06			
6	BRS	L6	28	5 and location with demand with signal	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:08			
7	BRS	L7	1707	5 and (emergency or "911" or 9-1-1)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:07			
8	BRS	L8	62	7 and mobile adj (base adj station)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:07			

9	BRS	L9	3	8 and location with demand with signal	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:19			
10	BRS	L10	79	("455"/$ or "370"/$)and location with demand with signal	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:19			

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	21	10 and emergency	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:20			
12	BRS	L12	21	10 and (emergency or "911" or 9-1-1)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:20			
13	BRS	L13	2	"455"/$ and chirp with demand and position	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:22			
14	BRS	L14	4	"455"/$ and distress with signal with demand and position	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:23			
15	BRS	L15	2	"455"/$ and pilot with signal with demand and position	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:23			
16	BRS	L16	24	decode with frequency with amplitude with tim$4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:24			
17	BRS	L17	83	("455"/$ or "370"/$) and decode$4 with amplitude same tim$4 same frequenc$4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:24			

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
18	BRS	L18	30	("455"/$ or "370"/$) and decode$4 with amplitude with tim$4 with frequenc$4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			
19	BRS	L19	206	("455"/$ or "370"/$) and (pattern or code) with frequency with tim$4 with amplitude	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			
20	BRS	L20	16	("455"/$ or "370"/$) and (pattern or code) with frequency with tim$4 with amplitude and (emergency or "911" or 9-1-1)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			